



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS

AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

Revision n. 10
Dated 04/02/2022
Printed il 04/02/2022

Safety data sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: I.131
Product name: EUROTERM 131

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use: Antiscalant and dispersant product for closed circuits. **INDUSTRIAL USE**

Intended use	Industrial	Professional	Consumption
Sector	✓	-	-

1.3. Emergency telephone number

For urgent inquiries refer to

City Hospital, Birmingham B187QH, United Kingdom. +44 121 507 4123
Centro Antiveleni Ospedale Niguarda +39 0266101029
Ancona Centro antiveleni – dalle 7.30 alle 13.30 Centro universitario ospedaliero di farmacovigilanza Tel. 071-2181028
Bergamo Centro antiveleni- 24/24 ore, USSA Tossicologia Clinica Ospedali Riuniti di Bergamo, Numero verde 800883300
Bologna Centro antiveleni- 24/24 ore, Ospedale Maggiore, Tel. 051-333333, 051-6478955
Catania Centro antiveleni- 24/24 ore, Ospedale Garibaldi, Tel. 095-7594120/ 095-7594032, Numero verde 800410989
Chieti centro antiveleni- 24/24 ore, Ospedale Santissima Annunziata, Tel. 0871-551219
Firenze Centro antiveleni- 24/24, Ospedale Careggi, Tel. 055-7947819
Foggia Centro antiveleni, Università degli studi – Azienda ospedaliero universitaria Tel: 0881-732326
Genova Centro antiveleni – 24/24 ore- Ospedale San Martino Tel. 010-352808
La Spezia Centro antiveleni – 24/24 ore, Ospedale Civile Sant'Andrea, Tel. 0187-533296 /0187- 533297
Lecce Centro antiveleni – 24/24 ore, Ospedale Vito Fazzi Tel. 0832-351105
Napoli Centro antiveleni – 24/24 ore, Ospedale Cardarelli Tel. 081-7472870/ 0815453333
Pavia Centro antiveleni – 24/24 ore, Centro Nazionale di Informazione Tossicologica Salvatore Maugeri, Tel. 0382- 24444
Pordenone Centro antiveleni – 24/24 ore, Ospedale Civile Tel. 0434-399698, 0434-399335
Reggio Calabria, Centro antiveleni – 24/24 ore Ospedale Riuniti, Tel. 0965-811624
Roma, Centro antiveleni – 24/24 ore– Policlinico A. Gemelli, Tel. 06-3054343
Torino Centro antiveleni, Istituto Anestesia e Rianimazione II Cattedra di Anestesia e Rianimazione, Tel. 011-6637637
Trieste Centro Antiveleni, Ospedale Infantile Burlo Garofalo Tel. 040-3785373-362

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements)

The product thus requires a safety datasheet that complies with the provisions of EU Regulation 2015/830.

Any additional information concerning the risks for health and / or the environment can be found in Sections. 11 and 12 of this sheet.



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS
AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

Hazard classification and indication:

Specific target organ toxicity –

Repeated Exposure Repeated, category 2

H373 May cause damage to organs through prolonged or repeated exposure

2.2. Label elements.

Hazard labelling according to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

H373

May cause damage to organs through prolonged or repeated exposure

Precautionary statements:

P314

Get medical advice / attention if you feel unwell.

Contains:

ETHANEDIOL

2.3. Other Hazards

On the basis of available data, the product does not contain PBT or vPvB in percentage greater than 0.1%.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

Information not relevant.

3.2. Mixtures

Contains:

Identification ETHANEDIOL

CAS 107-21-1

CE 203-473-3

INDEX 603-027-00-1

Nr. Reg. 01-2119456816-28-XXXX

x = Conc. %

$15 \leq x < 25$

Classification 1272/2008 (CLP)

Acute Tox. 4 H302, STOT RE 2 H373

2-BROMO-2NITROPROPAN-1,3-DIOL

CAS 52-51-7

$0,05 \leq x < 0,1$

Acute Tox. 4 H302, Acute Tox. 4 H312, Eye Dam. 1 H318, Skin Irrit. 2 H315, STOT SE 3 H335, Aquatic Acute 1 H400 M=10

EC 200-143-0

INDEX 603-085-00-8

Nr. Reg. 01-2119980938-XXXX

The full wording of hazard (H) is given in section 16 of the sheet.



**REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS**
AZIENDA CERTIFICATA

EURO COLD Srl
Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS

AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well-ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

CZE	Česká Republika	Nariadení vlády č. 361/2007 Sb. kterým se stanoví podmínky ochrany zdraví při práci
DEU	Deutschland	TRGS 900 (Fassung 31.1.2018 ber.) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
ESP	España	INSHT - Límites de exposición profesional para agentes químicos en España 2017
FRA	France	JORF n°0109 du 10 mai 2012 page 8773 texte n° 102
GBR	United Kingdom	EH40/2005 Workplace exposure limits
GRC	Ελλάδα	ΕΦΗΜΕΡΙΣ ΤΗΣ ΚΥΒΕΡΝΗΣΕΩΣ -ΤΕΥΧΟΣ ΠΡΩΤΟ Αρ. Φύλλου 19 - 9 Φεβρουαρίου 2012
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
POL	Polska	ROZPORZĄDZENIE MINISTRA PRACY I POLITYKI SPOŁECZNEJ z dnia 7 czerwca 2017 r
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no trabalho - Diário da Republica I 26; 2012-02-06
SVK	Slovensko	NARIADENIE VLÁDY Slovenskej republiky z 20. júna 2007
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2020

ETHANEDIOL

Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		
		mg/m ³	ppm	mg/m ³	ppm	
TLV	CZE	50		100		SKIN
MAK	DEU	26	10	52	20	SKIN
VLA	ESP	52	20	104	40	SKIN
VLEP	FRA	52	20	104	40	SKIN
WEL	GBR	52	20	104	40	
TLV	GRC	125	50	125	50	
VLEP	ITA	52	20	104	40	SKIN
NDS	POL	15		50		
VLE	PRT	52	20	104	40	SKIN
NPHV	SVK	52	20	104		SKIN
OEL	EU	52	20	104	40	SKIN



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS
AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

TLV-ACGIH

25

50

TLV-ACGIH

10

INHAL

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	yellowish
Odour	characteristic
Odour threshold	Not available
pH	6,5 - 7,5
Melting point / freezing point	Not available
Initial boiling point	100 °C
Boiling range	Not available
Flash point	Not applicable
Evaporation Rate	Not available
Flammability of solids and gases	Not available
Lower inflammability limit	Not available



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS

AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

Upper inflammability limit	Not available
Lower explosive limit	Not applicable
Upper explosive limit	Not applicable
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility	miscible
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available
Viscosity	Not available
Explosive properties	Not available
Oxidising properties	Not available

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

ETHANEDIOL

In the air absorbs moisture. Decomposes at temperatures above 200°C/392°F.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Decomposes on contact with: water, metals, strong bases.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

ETHANEDIOL

Risk of explosion on contact with: perchloric acid. May react dangerously with: chlorosulphuric acid, sodium hydroxide, sulphuric acid, phosphorus pentasulphide, chromium (III) oxide, chromyl chloride, potassium perchlorate, potassium dichromate, sodium peroxide, aluminium. Forms explosive mixtures with: air.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

ETHANEDIOL

Avoid exposure to: sources of heat, naked flames.

2-BROMO-2-NITROPROPAN-1,3-DIOL

Avoid exposure to: light, UV rays, moisture.



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS
AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

ETHANEDIOL

May develop: hydroxyacetaldehyde, glyoxal, acetaldehyde, methane, carbon monoxide, hydrogen.

2-BROMO-2-NITROPROPAN-1,3-DIOL

May develop: nitric oxide, carbon oxides, hydrobromic acid.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

ETHANEDIOL

WORKERS: inhalation; contact with the skin.

POPULATION: inhalation of ambient air; contact with the skin of products containing the substance.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

ETHANEDIOL

Ingestion initially stimulates the central nervous system; later replaced by a phase of depression. There may be kidney damage, with anuria and uremia. Over-exposure symptoms are: vomiting, drowsiness, difficulty in breathing, convulsions. The lethal dose for humans is approx. 1.4 ml/kg.

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:

Not classified (no significant component)

ATE (Oral) of the mixture:

>2000 mg/kg

ATE (Dermal) of the mixture:

Not classified (no significant component)

ETHANEDIOL

LD50 (Oral) > 2000 mg/kg Rat



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS
AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

LD50 (Dermal) 9530 mg/kg Rabbit

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

ETHANEDIOL

Available studies have shown no carcinogenic potential. In a carcinogenicity study lasting two years, carried out by the US National Toxicology Program (NTP), in which ethylene glycol was administered in the feed, "no evidence of carcinogenic activity" in male and female B6C3F1 mice was observed (NTP, 1993).

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

May cause damage to organs

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

2-BROMO-2-NITROPROPAN-1,3-DIOL

LC50 - for Fish

EC50 - for Crustacea

20 mg/l/96h *Oncorhynchus mykiss*

1,6 mg/l/48h *Daphnia magna*

12.2. Persistence and degradability



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS

AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

2-BROMO-2-NITROPROPAN-1,3-DIOL

Solubility in water 286000 mg/l
Rapidly degradable

ETHANEDIOL

Solubility in water 1000 - 10000 mg/l
Rapidly degradable

12.3. Bioaccumulative potential

2-BROMO-2-NITROPROPAN-1,3-DIOL

Partition coefficient: n-octanol/water 0,22
BCF 3,16

ETHANEDIOL

Partition coefficient: n-octanol/water -1,36

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)



REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS
AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product
Point

3

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls



**REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS**

AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 4	Acute toxicity, category 4
STOT RE 2	Specific target organ toxicity - repeated exposure, category 2
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
STOT SE 3	Specific target organ toxicity - single exposure, category 3
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H373	May cause damage to organs through prolonged or repeated exposure.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament



**REFRIGERATORI PER FLUIDI
APPLICAZIONI FRIGORIFERE SPECIALI
FLUID COOLERS
SPECIAL COOLING APPLICATIONS**

AZIENDA CERTIFICATA

EURO COLD Srl

Via Aldo Moro, 11/E • 41030 Bomporto (MO) Italy
Tel. +39.059.8178138 r.a • Fax +39.059.8170482
P.IVA 02669040368 • Iscr. Reg. Imp. MO-02669040368
Cap. Soc. Euro 153.000,00 i.v.
Internet: www.eurocold.it
e-mail: info@eurocold.it

7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
 16. Regulation (EU) 2019/521 (XII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Regulation (EU) 2020/217 (XIV Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) – Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

03.